

# POWER EQUIPMENT. HONDA. COM. AU



F501

Honda's mid-tine tillers are tough machines. The F501's mid-tine configuration delivers the perfect balance of power and manoeuvrability to perform almost any kind of tilling task.

### INTRODUCTION

#### **POWER AND PRECISION**

The versatile F501 Tiller is powered by Honda's flagship GX160 engine and features 2 forward and 1 reverse gears, a 914mm tine width and multistep height-adjustable handlebars, making it great for heavy-duty performance.

It's light and compact for easy transportation, and just perfect for confined areas like vegie patches alongside fences or the corner of a big backyard.

It features a deadman clutch for safety and fold-over handles for convenience. A dual direction off/run/off switch also makes for easy tilling. Just another advantage of owning a Honda.

#### PERFORMANCE/USABILITY

Like the best of Honda's Power Equipment range, the F501 starts first time, every time with Honda's famous one pull easy start system.

Compare to other, less environmentally-friendly tillers, the F501 offers a low emission, quiet and efficient alternative.

It means you, your soil and your neighbours will all be undisturbed by the fumes and smoke that other competitor models spew out.

#### HONDA'S TILLER FAMILY

Honda leads the world with revolutionary mini 4-stroke engines that deliver more power and use less oil.

With their auto-decompression, electronic ignition and anti-flood primer system, Honda Tillers start first time, every time, year after year.

Superior engineering means Honda Tillers produce less noise and smoke and with their ultra-compact, lightweight design, Honda Tillers are easier to handle and will keep you working longer with less fatigue.

#### **WARRANTY**

The F501 Tiller features a 4 year Domestic Warranty and 12 month Commercial Warranty, meaning that you're backed by Honda to get the most out of your investment.

It runs on unleaded fuel so you'll never have to mix oil and petrol again. That's great news for the environment, and even better news for your vegie patch!

And with a dealer network of 400+ authorised, independent servicing dealers around Australia, you've got all the support you'll ever need.

## SPECS

### **SPECIFICATIONS**

ENGINE	GX160
TILLING WIDTH	914mm
STARTING	Recoil
RECOMMENDED FUEL	Unleaded
GEARS	2 Forward/1 Reverse
MAIN CLUTCH	Deadman
HANDLE BARS	Adjustable
DRAG BARS	Yes
DIMENSIONS (LXWXH)	1,320 x 955 x 970 (mm)
DRY WEIGHT	36kg
ACCESSORIES	None

## **VISIT HONDA POWER EQUIPMENT WEBSITE**

For terms and conditions please visit <a href="http://about.hondampe.com.au/Terms\_and\_Conditions">http://about.hondampe.com.au/Terms\_and\_Conditions</a>

The information in this document is valid as of 08/04/2015. For the most up to date information please visit http://powerequipment.honda.com.au