

POWER EQUIPMENT.HONDA.COM.AU



FG110

Honda's FG110 delivers the performance you need to create betteraerated, more productive soil in a multi-purpose, lightweight mini tiller.

INTRODUCTION

ENVIRONMENTALLY-FRIENDLY

Powered by the economical and environmentally friendly mini 4-stroke GX25 engine, the FG110 Mini-Tiller has an adjustable 9" tilling width - making it ideal for raised beds and narrow rows.

It's a lightweight, easy to use and efficient personal garden cultivator featuring fingertip controls. There's no assembly required for this tiller as the handlebars fold for easy storage and shipping - simply unfold and tighten for use.

That means you can get stuck into your garden from the moment you bring your FG110 home.

HONDA TILLERS - READY TO PLOW

Honda leads the world with revolutionary mini 4-stroke engines that deliver more power and use less oil than the competition.

With their auto-decompression, electronic ignition and anti-flood primer system, Honda Tillers start first time, every time, year after year.

Superior engineering means Honda Tillers produce less noise and smoke and with their ultra-compact, lightweight design, Honda Tillers are easier to handle and will keep you working longer with less fatigue.

FEATURES

The FG110 is powered by Honda's advanced Generation II, 25cc, mini 4-stroke engine, the same engine that powers many other hard-working Honda power equipment products.

It starts first time, every time with Honda's famous one pull easy start system and there's a range of easy-to-fit accessories available.

It features a 230mm tine width and fold-over handles for convenience. A dual direction off/run/off switch also makes for easy tilling. Just another advantage of owning a Honda.

WARRANTY

The FG110 Mini-Tiller features a 4 year Domestic Warranty and 12 month Commercial Warranty, meaning that you're backed by Honda to get the most out of your investment.

It runs on unleaded fuel so you'll never have to mix oil and petrol again. That's great news for the environment, and even better news for your vegie patch!

And with a dealer network of 400+ authorised, independent servicing dealers around Australia, you've got all the support you'll ever need.

PEACE OF MIND

Environmentally friendly with low emissions, less noise and low fuel consumption

Heavy-duty debris shield for safety

SPECS

SPECIFICATIONS

ENGINE	GX25
TILLING WIDTH	230mm
STARTING	Recoil
RECOMMENDED FUEL	Unleaded
GEARS	N/A
MAIN CLUTCH	Centrifugal clutch
HANDLE BARS	Collapsible
DRAG BARS	Yes
DIMENSIONS (LXWXH)	1,038 x 368 x 1000 (mm)

DRY WEIGHT	14.5kg
ACCESSORIES	Edger, aerator, digging tines, de-thatcher
RRP	\$799.00

VISIT HONDA POWER EQUIPMENT WEBSITE

For terms and conditions please visit http://about.hondampe.com.au/Terms_and_Conditions

The information in this document is valid as of 23/04/2015. For the most up to date information please visit http://powerequipment.honda.com.au