

POWER EQUIPMENT. HONDA. COM. AU



FR750

The FR750 is Honda's top of the line Tiller that features a GX200 engine, 600mm tine width, 2 forward and 1 reverse gears and lockable differential for tough or virgin soil.

INTRODUCTION

WELCOME THE BEST

The Honda FR750 Tiller is one of the most powerful products in the company's Power Equipment range.

With a 600mm tine width, 2 forward gears and 1 reverse and a deadman clutch for safety, the FR750 is built to make life easier for you, the end user.

What's more, the FR750 also features Honda's revolutionary Active Rotary System, a patented coaxial counter-rotating tine drive mechanism that dramatically improves the tiller's stability allowing smooth, easy operation.

GREAT FOR THE ENVIRONMENT, AND YOUR HEALTH

The FR750 Tiller is powered by Honda's legendary GX200 4-Stroke Engine. Part of the iconic GX Engine range, it comes with a 3-Year Warranty all of its own.

It's designed with Honda's strict environmental guidelines in mind, and runs with low emissions, less noise than the competition, and - importantly - low fuel consumption.

Another handy little feature is the inclusion of a lockable differential for tough or virgin soil, making your life easier. And of course, being a Honda, the FR750 will start first time, every time.

HONDA TILLERS - BUILT TO WORK

Honda leads the world with revolutionary mini 4-stroke engines that deliver more power and use less oil.

With their auto-decompression, electronic ignition and anti-flood primer system, Honda Tillers start first time, every time, year after year.

Superior engineering means Honda Tillers produce less noise and smoke and with their ultra-compact, lightweight design, Honda Tillers are easier to handle and will keep you working longer with less fatigue.

WARRANTY

The FR750 features a 4 year Domestic Warranty and 12 month Commercial Warranty, meaning that you're backed by Honda to get the most out of your investment.

It runs on unleaded fuel so you'll never have to mix oil and petrol again. That's great news for the environment, and even better news for your worksite!

And with a dealer network of 400+ authorised, independent servicing dealers around Australia, you've got all the support you'll ever need.

SPECS

SPECIFICATIONS

ENGINE	GX200
TILLING WIDTH	600mm
STARTING	Recoil
RECOMMENDED FUEL	Unleaded
GEARS	2 Forward/1 Reverse
MAIN CLUTCH	Deadman
HANDLE BARS	Multi step height adjustable
DRAG BARS	Yes
DIMENSIONS (LXWXH)	1,450 x 660 x 1100 (mm)
DRY WEIGHT	93kg
ACCESSORIES	None

RRP \$4,359.00

VISIT HONDA POWER EQUIPMENT WEBSITE

For terms and conditions please visit http://about.hondampe.com.au/Terms_and_Conditions

The information in this document is valid as of 08/04/2015. For the most up to date information please visit http://powerequipment.honda.com.au