



**35cc Power Head**

# Powering domestic users and commercial contractors alike, the VersaTool's UMC435 Power Head is Here To Stay.

## INTRODUCTION

### POWER AND PERFORMANCE

---

The UMC435 Power Head draws premium performance from Honda's famous 35cc 4-Stroke Engine - the same engine that powers Honda's commercial range of brushcutters.

---

Suitable for residential users and commercial contractors alike, the UMC435 will deliver all the power you could ask for.

---

It delivers 'starts-first-time every-time' reliability and superior performance, and comes standard with an emphatic 4-Year Warranty!

---

### ADVANCED TECHNOLOGY

---

As the world's lightest OHC engine, the Honda Mini 4-stroke engine requires no fuel/oil mixing, and runs at approximately half the operating cost of comparable 2-stroke engines.

---

A full 360° "any-side-up" operation means you can use and store the UMC435 in any position, and take advantage of the exclusive rotary-slinger lubrication system.

---

The carburetor is equipped with an accelerator pump for fast, easy acceleration, and an efficient port configuration and large diameter valves maximise power output.

---

## SPECS

### SPECIFICATIONS

---

MODEL

UMC435

---

<b>VERSATOOL COMPATIBLE</b>	Yes
<b>TYPE</b>	4-stroke, overhead cam, single-cylinder, horizontal shaft
<b>BORE &amp; STROKE</b>	39 x 30 mm (1.5 x 1.2 in)
<b>DISPLACEMENT</b>	35.8cm <sup>3</sup> (2.2 cu in)
<b>COMPRESSION RATIO</b>	8.0:1
<b>NET POWER</b>	1.0kW (1.3HP) at 7,000 rpm
<b>MAXIMUM NET TORQUE</b>	1.6 Nm (1.2 lbs ft) at 5,500 rpm
<b>IGNITION SYSTEM</b>	Transistorised magneto ignition
<b>STARTING SYSTEM</b>	Recoil Starter
<b>COOLING SYSTEM</b>	Forced-air
<b>PTO SHAFT ROTATION</b>	Counter-clockwise (from P.T.O. side)
<b>FUEL CONSUMPTION AT RATED POWER</b>	0.71 L/h at 7,000 rpm
<b>RECOMMENDED FUEL</b>	Unleaded
<b>LUBRICATION SYSTEM</b>	Oil Mist
<b>OIL CAPACITY</b>	0.1l
<b>FUEL TANK CAPACITY</b>	0.65l
<b>DIMENSIONS</b>	198mm x 234mm x 240mm
<b>DRY WEIGHT</b>	3.33 kg (w/o clutch)
<b>OTHER SPECS</b>	Infinite Operating Angles
<b>RRP</b>	\$599



## VISIT HONDA POWER EQUIPMENT WEBSITE

For terms and conditions please visit [http://about.hondampe.com.au/Terms\\_and\\_Conditions](http://about.hondampe.com.au/Terms_and_Conditions)

The information in this document is valid as of 08/04/2015. For the most up to date information please visit <http://powerequipment.honda.com.au>