



[MOTORCYCLES.HONDA.COM.AU](https://www.honda.com.au/motorcycles)



**MW110**

The economical Benly MW110 is the perfect delivery scooter. Fast, reliable and efficient, the Benly is easy for riders of all levels.

## INTRODUCTION

### PRACTICALITY

---

The Benly is Honda's purpose built delivery scooter, a true work horse perfect for businesses who offer delivery.

---

Powered by an economical 108cc engine with PGM-FI fuel injection for optimal reliability and getting more deliveries done with the generous 10L tank. Get your products to customers efficiently with the Honda Benly.

---

Honda's Combined Braking System (CBS), which links the front and rear brakes, provide swift and stable braking regardless of rider experience or road conditions.

---

### CONVENIENCE

---

The Benly also offers confident handling and good manoeuvrability thanks to a rigid and lightweight frame. Ideal for a congested urban/city environment where you need something nimble to get things done. The ergonomically sculpted single seat is designed to allow extra room for a top box if required and set at a lower height of 710mm, making the scooter effortless to handle for a broader variety of riders.

---

The large rear deck allows extra space, and the multiple tying hooks make it more practical for carrying loads/luggage. With an easy to read large analogue display and kerb weight of 113kgs the Benly is Honda's ultimate delivery model.

---

### LAMS APPROVED

---

Perfect for learner riders, the Benly is LAMS approved.

---

Please consult your local authority before purchasing a motorcycle for learner use. Each state and territory has its own regulations relating to the range of motorcycle models approved under the Learner Approved Motorcycle Scheme. Honda does not warrant or represent that the models shown are approved in each state and territory

---

# SPECS

## ENGINE

ENGINE TYPE	108cc air-cooled 4-stroke, 4-valve, DOHC 1-cylinder
BORE & STROKE	50mm x 55mm
COMPRESSION RATIO	9.5:1
CARBURATION	PGM-FI electronic fuel injection system
IGNITION	Full-transistor battery ignition
STARTER	Electric and Kick start
TRANSMISSION	Continuously variable (V-Matic)

## FRAME

DIMENSIONS (LXWXH)	1,805mm x 700mm x 1,040mm
WHEELBASE	1,280mm
SEAT HEIGHT	710mm
GROUND CLEARANCE	115mm
FUEL CAPACITY	10 litres
KERB WEIGHT	113kg

## TYRES

FRONT	90/90-12 inch
-------	---------------

<b>REAR</b>	110/80-10 inch
-------------	----------------

---

## **SUSPENSION**

<b>FRONT</b>	Telescopic forks, 81mm travel
--------------	-------------------------------

<b>REAR</b>	Unit swing, 73mm travel
-------------	-------------------------

---

## **BRAKES**

<b>FRONT</b>	Drum (with Combined Brake System)
--------------	-----------------------------------

<b>REAR</b>	Drum (with Combined Brake System)
-------------	-----------------------------------

---

## **INSTRUMENTS & ELECTRONICS**

<b>HEADLIGHT</b>	12 V - 35/35 W
------------------	----------------

<b>INSTRUMENTS</b>	Analogue Instrument cluster with speedometer, odometer and fuel gauge
--------------------	---

---

## **NOTE**

<b>COLOUR</b>	White
---------------	-------

<b>IMAGES</b>	Please note images show overseas models
---------------	---

---

## **VISIT HONDA MOTORCYCLES WEBSITE**

For terms and conditions please visit [http://about.hondampe.com.au/Terms\\_and\\_Conditions](http://about.hondampe.com.au/Terms_and_Conditions)  
The information in this document is valid as of 07/06/2016. For the most up to date information please visit <http://motorcycles.honda.com.au>